Quaildigital HEALTHCARE HEADSET SYSTEM

"A fantastic system - how did we ever do without it?"

Wireless Headset System

for clinical staff communications

As healthcare technology and procedures evolve, the use of wireless headsets by clinical teams is becoming commonplace.

Clear discrete audio communication between physicians and clinical staff in interventional cardiovascular and other minimally invasive therapeutics removes barriers to safer, more effective workflows and treatment.

Quail Digital Healthcare Headset System is a lightweight, digital, wireless communications system for clinicians, physicians and assistants to talk hands-free as a team in the interventional OR or hybrid suite, at monitoring stations, through adjacent control rooms and ancillary areas.

Wireless headsets promote greater attention to accuracy, reduce stress and foster collaboration within the team because communication becomes so much easier. The system is also a unique platform for **teaching and learning** because all the headsets port to external broadcast and audio/visual streaming facilities, enabling physicians to participate in remote broadcasts, seminars and training

0

sessions from the OR. The system can be used to record physician's case notes in real time and capture all the audio passing through the system.

Theultra-lightheadsetweighsjust 23g. Comfort is guaranteed with headband or neckband styles to suit individual preference.

Despite its minimal size and weight, talk-time from a fully charged battery is up to 9 hours PTT and 6.5 hours TalkLock.

Operating on **high quality DECT** frequencies, the system is encrypted to avoid interference from other devices or powerful emissions in the OR. **Multiple systems** can be used in the same premises without break-through.

The Healthcare Headset System comprises a wall-mounted base station, up to 30 headsets and 6-port headset charger/storage racks.

Contact... For more info, call 800-635-6779 or <u>quailsales@datadistributing.com</u>





HEALTHCARE BASE STATION Q-HCBS

Operating frequency 1.88-1.90 GHz EMEA & Asia 1.910-1.930 GHz North America

Transmission power 250 mW EMEA & Asia 125 mW North America

Digital security encryption Standard DECT protocol

Headset capacity 30 users (6 in talk mode at one time)

Power supply output 48vDC

Power requirements 100-240v AC voltage sensing **Dimensions HxWxD** 168 x 128 x 36mm

Weight 400g

Mounting Wall mounting plate

Registration of headsets Push-button on Base (see User Guide for instructions)

Interface, audio in/out Line level input and output (3.5mm 1.2m stereojack plug x 2 leads supplied)

Audio recording option Line level signal to external audio equipment Cucil cigate Barris of Real Provider France

Volume adjustments Input and output gains, adjustable using screwdriver

Temperature range Operating-10^c to 85^c Storage-40^c to 100^c

Enclosure coating Anti-microbial coating

Approvals FCC, CE, RTTE

Warranty 1 Year



Operating frequency 1.88-1.90 GHz EMEA & Asia 1.910-1.930 GHz North America

Transmission power 250 mW EMEA & Asia 125 mW North America

Operating modes TalkLock and PTT asstandard

Range Up to 50 meters from Base in clearspace-range maximized bygood placement of Base

Microphone Noise cancelling, electrec mic **Battery capacity** 9 hours PTT, 6.5 hrs TalkLock from fully charged battery

Battery charge time 2.5 hours to full re-charge

Battery status indicator Battery low tone (see User Guide)

Volume control 5-stage, slide button up/down

Battery (part number) Lithium Ion 3.7v (Q-RH7BAT)

Power output 3.7v-0.82Wh Weight including battery 23g

0

Wearing styles Neckband and headband versions available

Approvals FCC, CE, RTTE

SARS measurement Certified

Warranty 1 Year

HEALTHCARE CHARGER Q-RCH

Capacity for headsets 6 port

Power indicator Red LED

Power requirements 100-240v AC voltage sensing

Mounting Shelf /desktop Charge indicator LED on headsets: flashing blue = charging; constant blue = fully charged

Charger Shelf (Q-P7SHELF) Black coated, hanger for headbands and neckbands

Dimensions HxWxD 110x330x96mm Weight

680g

Approvals CE

Warranty 1 Year



Q-RH7NB Neckband

Q-RH7HB Headband

Q-RH7BAT Headset battery

QD-812 48v power supply unit for Base Station

QD-813 5v power supply unit for headset charger

Q-P7SHELF

Wall mounted charger shelf, hanging bar for headbands and neckbands, weight 630g

Q-RH7HC Hygiene covers for headset (box of 100)





Quaildigital

HEALTHCARE HEADSET SYSTEM

- Up to 30 headset users
- Headsets both TalkLock and PTT
- Interface for external broadcast
- Physician voice recording
- Multiple systems, interference-free
- Up to 9 hour PTT battery life

Offered by



sales@datadistributing.com www.datadistributing.com/wireless 220A Fern Street, Santa Cruz, CA 95060