Ergonomic Workstations for Radiology











800.635.6779 | sales@datadistributing.com | www.datadistributing.com

DBI CT19

The **DBI CT19** is the Complete Table you have been looking for. The CT19 incorporates every feature radiologists look for in an imaging table. Easy Monitor Control System, Adaptive Lighting System, and other Innovative Features to improve Comfort.

Monitor Control System

- Mount (and move!) all of your monitors in perfect alignment on a single array.
- 2 Push-button controls electrically adjust the entire bank of monitors up, down, forward, and back in unison.
- 3 Wrap your outside monitors around you on two hinged extensions.
- 4 Our patented mounts make it easy to install all of your monitors in perfect alignment.
- 5 We provide tools for precision adjustments.
- 6 Supports 6MP and 10MP diagnostic monitors.
- 7 Plug monitors into the rear power bar and manage cables cleanly.



Adaptive Lighting System

8

- 8 Ambient back lights with adjustable brightness help reduce eye strain and keep you working comfortably.
- 9 Two desk task lights are completely adjustable.
- 10 A single interface gives you full lighting control.





Other Innovative Features For Your Comfort



PRODUCT Weight Part #

Pad	8 LBS.	475DG		

MONITOR CONTROL SYSTEM OPTIONS

- Choose from Standard and Super Knuckle based on the weight of your display. Knuckles slide into the monitor track and rest on the monitor block which adjusts in height in 1" increments. The monitor track attaches to the boom or boom extension at any position horizontally. Reposition the track's lateral position easily by loosening a single knob.
- Each knuckle provides tilt and swivel adjustment.
- The Standard knuckle (RADKNABK) supports displays up to 35 lbs and comes with VESA 75mm and 100mm pattern. The knuckle slides into
- the monitor track with 7" height adjustment in 1" increments. Fine tune the monitors' height and yaw using a pair of screws.
- For larger displays weighing 25-60 lbs, choose the Super knuckle (RADKNBBK). This knuckle also slides into the monitor track with 5" height adjustment in 1" increments and fine-tune adjustment for height and yaw.
- Need to stack two standard displays for your RIS, dictation, or other system? Add the Monitor Easy Track Vertical Extension (RADMVBK). It installs on the center boom or on a Monitor Extension and comes with two knuckles. Supports two displays, one above the other, up to 35 lbs total and up to 17" apart, center to center.
- Each knuckle comes with a 15-ft DVI-D cable to route from your display, through the table's cable management system, and to your computer. At 15 feet long, it reaches all the way from your display to your CPU no matter how your adjust the Maniter Eacy Table comparison on both your display and

MONITOR VERTICAL Y EXTENSION Y

feet long, it reaches all the way from your display to your CPU no matter ho you adjust the Monitor Easy Track so connections on both your display and your CPU are protected. Cable is capable of transmitting resolution value of 2560x1600 at 60 hz.

PRODUCT	Weight Capacity	Weight	Part #
Standard Monitor Easy Track Knuckle	35 LBS.	10 LBS.	RADKNABK
Super Monitor Easy Track Knuckle	25-60 LBS.	12 LBS.	RADKNBBK
Monitor Easy Track Vertical Extension	35 LBS.	16 LBS.	RADMVBK

941.0-00510000				
Styles and sizes	Dual-surface in 65" width			
Sit/stand height range (measurements are from the floor to the top of the keyboard surface)	as high as 49.5" as low as 30"			
Max lift capacity	300 lbs.			
Overall weight capacity	300 lbs.			
Monitor controls and configurations	Monitor Control System [™] Electrically adjust an array of up to 4 monitors up, down, forward and back in unison.			
Cable management	With the Cable Management System, move the table to any position and the cords stay plugged in and equipment stays in place.			
Number of electrical outlets	14 outlets.			
Tilt	15° of reclining tilt on the entire table, with a Coffee Surface for items you want to keep level (like coffee!)			
Lighting	Adaptive Lighting System relieves eye strain by giving you complete control to adjust the brightness of ambient backlights. Two adjustable task lights are integrated into the worksurface.			
Product Includes	2 electrically controlled shelves (1 monitor, 1 keyboard) with height and tilt adjustments, side shelf, back Privacy Panel, 2 height-adjustable legs, 2 CPU holders, footrest, 2 background lights, 2 LED task lights, 2 control panels, powered USB hub, Air Ventilation System with 2 adjustable air ports, Monitor Control System with 3 monitor brackets and cable management troughs, 3 power strips with 14 outlets, and a 10' power cord with cable management sleeves.			

the table.



The **DBI Sit-Stand Station** family incorporates all the must have features for imaging tables; **Sit-Stand Adjustability, Monitor Easy Track, and Cable Management**. The DBI SS options coming two widths; 60" wide and 72" wide as well as a choice of Single of Dual Surface.



Monitor Easy Track





Cable Management System

- 6 Slide monitors into their mounts.
- 7 Route monitor cords down the cable channel behind the Monitor Easy Track.
- 8 Plug it all into the power bar inside the roomy cable trough.
- 9 Secure the door to the cable trough.
- 10 Never deal with cords yanking or annoying slack, no matter how high you adjust the table, by routing them through our fixedlength cable channels.









Worksurface Adjustment

- 11 Sit or stand with ease using advanced pushbutton height controls, 3 height presets and LED read-out.
- 12 Raise or lower the front keyboard surface by squeezing the paddle (dual surface only).
- 13 All wrap-around tables come with a non-tilting coffee surface.
- 14 Waterfall edges are comfortable on your forearms and wrists.
- 15 Optional CPU racks can raise or lower as you adjust the shelf height.









18

19

Other Innovative Features

Two dimmable

task lights.

16

16

Shippin	Ships assembled. Shipping Weight: 369 lbs. (60" w); 384 lbs. (72" w)	Ships assembled. Shipping Weight: 357 lbs. (60" w); 372 lbs. (72" w)		
Lightin	g Two integrated t	Two integrated task lights on the worksurface.		
Til	t 24° of ergonomic keyboard surface tilt.	NA		
Number o electrical outlet	3 outlets on the worksurface, 14 outlets in the rear cable compartment.			
Cable managemen	t With the Cable Management System, move the table to an	ny position and the cords stay plugged in and equipment stays in place.		
Monitor control and configuration		o 6 monitors forward and back in unison to your optimal focal depth. down with your table height controls.		
Max lift/overa weight capacit		325 lbs.		
Sit/stand heigh rang (measurements are fro the floor to the top of th keyboard surfac	e as high as 50 m ↓ e as low as 17.25"	as high as 49″ ↓ as low as 23″		
Product Include	s one monitor knuckle, two shelf support arms with safety stops and tilt control (dual only), powers strip on worksurface with 3	nitor Easy Track with 10" depth adjustment on twin-beam boom assembly, s, two electric lift leg assemblies, one keyboard surface with manual height 3 outlets, two LCD task lights with dimmer control, air circulation fan, cable e management ladders, two feet with leveling glides, and one power cord.		
Product	# STB272GV/DG (72"w in Dark Grey) STB272GV/WE (72"w in Wenge)	STB172GV/DG (72"w in Dark Grey) STB172GV/WE (72"w in Wenge)		
	STB260GV/DG (60"w in Dark Grey) STB260GV/WE (60"w in Wenge)	STB160GV/DG (60"w in Dark Grey) STB160GV/WE (60"w in Wenge)		
The Safety System protects equipment when raising or lowe the table.	ring			
2 USB Ports.				
Air Circulation Syster keep you cool.				

ACCESSORIES

CPU SIDERACKS

CPU SideRack, Outboard



• Slide the arms open to insert your CPU, then tighten down to keep it in place. Measure the width of your CPU and add 3" to determine how far the SideRack will extend from the side of your table. Supports CPUs 4.5"-9.75" wide. Holds up to 40 lbs.

Comes in Grey Metallic.

Width	Depth	Height	Weight	Part #
6.25"	11.5"	14.5"	12 lbs.	STSR2GM

CPU SideRack, Floor-mount

- This large 3" high platform sits on the floor to hold your CPU, UPS, or other equipment. Straddles eithe DBI SS Station n foot (left or right), or set it outside the footprint of the table.
- Metal hoop above the SideRack measures 16.25" above the platform to show the safe height limit of items stored under the table at its lowest position.
- Platform measures 13.25" wide, 22.5" deep. Comes with slots and strap and buckle kit to hold items in place.

 Holds up 1 	to 125 lbs. Co	mes in Grey Me	etallic with Silve	er Satin accent.
Width	Depth	Height	Weight	Part #
13.25"	22.5"	19.25"	20 lbs.	STSR3GV

MONITOR SOLUTIONS

Monitor Knuckles




MONITOR KNUCKLE



- Choose from Standard and Super Knuckle based on the weight of your display. Knuckles slide into the monitor track and rest on the monitor block
 which adjusts in height in 1" increments. The monitor track attaches to the boom or boom extension at any position horizontally. Reposition the
 track's lateral position easily by loosening a single knob.
- · Each knuckle provides tilt and swivel adjustment.
- The Standard knuckle (RADKNABK) supports displays up to 35 lbs and comes with VESA 75mm and 100mm pattern. The knuckle slides into the monitor track with 7" height adjustment in 1" increments. Fine tune the monitors' height and yaw using a pair of screws.
- For larger displays weighing 25–60 lbs, choose the Super knuckle (RADKNBBK). This knuckle also slides into the monitor track with 5" height adjustment in 1" increments and fine-tune adjustment for height and yaw.
- Need to stack two standard displays for your RIS, dictation, or other system? Add the Monitor Easy Track Vertical Extension (RADMVBK). It installs on the center boom or on a Monitor Extension and comes with two knuckles. Supports two displays, one above the other, up to 35 lbs total and up to 17" apart, center to center.
- · Each table and Monitor Easy Track appliance comes with one Standard Knuckle. Add additional to support your modality.
- Each knuckle comes with a 15-ft DVI-D cable to route from your display, through the table's cable management system, and to your computer. At 15 feet long, it reaches all the way from your display to your CPU no matter how you adjust the Monitor Easy Track so connections on both your display and your CPU are protected. Cable is capable of transmitting resolution value of 2560x1600 at 60 hz.

PRODUCT	Weight Capacity	Weight	Part #
Standard Monitor Easy Track Knuckle	35 lbs.	10 lbs.	RADKNABK
Super Monitor Easy Track Knuckle	25-60 lbs.	12 lbs.	RADKNBBK
Monitor Easy Track Vertical Extension	35 lbs.	15 lbs.	RADMVBK

Monitor Boom Extension



- Add more displays to your Monitor Easy Track with this Extension! Installs on the end of the center boom (or add one to each end) and measures 20" wide. Supports 35 lbs. Position extensions so they extend straight off the end of the boom or angle them toward you for a cockpit feel.
- Comes with a single knuckle plus hardware to attach the extension to your table or Monitor Easy Track appliance. Add more as space allows. Includes a 15-ft DVI-D cable to route from your display, through the table's cable trough, and to your computer.

PRODUCT	Weight Capacity	Width	Weight	Part #
Monitor Extension	35 lbs.	20"	19 lbs.	RADMEBK



DBI Basic Sit/Stand Desk

Choose between a preset size, or let us know a custom size we can design for you.



DBI Chair Solutions

The Verte




Patented back built with 11 torsion spring-loaded joints that take an exact spine impression (lock in place at the touch of a lever)

S1/S6 Mesh Task Chair



- Synchro tilt with multi-lock
- Adjustable lumbar
- Seat slider
- Height/Width adjust arms w/4 way adjust pads
- Molded foam seat
- Premium high hub base
- Heavy duty cylinder



- Seat slider
- Height adjustable arms
- Molded foam seat
- Premium high hub base



9

Other chair options available upon request.



Other DBI Products to Consider

