



### Highlights

- Work sitting or standing so you're comfortable and productive all day long with Elevate Adjusta, electric powered sit-stand desk.
- Push the button to set the height of the back monitor surface electrically, then squeeze the paddle to fine-tune the front keyboard surface.
- Strong electric legs lift 150 lbs (68 kg) of distributed weight.
- Available in two widths: 48" and 60" (122 and 152 cm) to fit your equipment and your space.
- Sophisticated laminate finishes come in 3 choices:



Metal surfaces are Silver Satin:





# Elevate Adjusta, Electric Sit-Stand Desk



## **Elevate Adjusta, an electric sit-stand desk with spring-assisted front keyboard surface,** joins Ergotron's line-up of adjustable-height tables that move from sitting to standing height

Available in a range of finishes and sizes, Elevate Adjusta keeps you moving throughout the day so you're energized and productive.



Adjust the monitor worksurface 28" - 47" high (71 cm - 119 cm) with the simple push of a button.







Tilt the keyboard surface to the perfect angle for your wrists: 9° forward, for positive tilt, and 15° back, for negative tilt.



The 6.5" h (16.5 cm) cable tray is deep enough to hold all your power bricks and cord bundles, plus an optional power strip.

### Work comfortably, sitting or standing with the dual-surface Elevate Adjusta.









Strong electric legs lift 150 lbs. (68 kg) of distributed weight easily and quietly and move all your equipment up and down with the desk. Front keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.



"Tiltand-go" wheels at the back of each foot make it easy to move the table when you need to rearrange your space or access the back of your equipment. Just raise the keyboard surface all the way up, lift the front of the table, and roll it into place.



Contoured laminate worksurface with smooth edges is comfortable againstyour arms when typing. Tilt the keyboard surface to the perfect angle for your wrists.



The open architecture frees up space for a treadmill and other equipment.



Image: Instruction of the set of th							
Product Includes     Mylpasss: WP (in Warge) US/CA/MX     Mylpasss: WP (in Warge) US/CA/MX       Product Includes     Comes with back monitor surface. Front keyboard surface, mechanism and paddle for manual keyboard shelf height adjustment, cable tray, control board keyba for electric height adjustment, two electric lift legs and two feet with tilt and go back wheels.       Product Includes     Image: Comes with back monitor surface. Front keyboard surface, mechanism and paddle for manual keyboard shelf height adjustment, cable tray, control board keyba for electric height adjustment, two electric lift legs and two feet with tilt and go back wheels.       Product Includes     Image: Comes with back monitor surface. Front keyboard surface, mechanism and paddle for manual. two electric lift legs and two feet with tilt and go back wheels.       Stif/Stand     Image: Composition of the surface. Transfer     Image: Composition of the surface. Stif/Stand       Stif/Stand     Monitor transfer     Image: Composition of the surface. Transfer     Image: Composition of the surface. Stif/Stand       Stif/Stand     Monitor transfer     Image: Composition of the surface. Transfer     Stif/Stand       Stif/Stand     Image: Composition of the surface. Transfer     Stif/Stand     Image: Composition of the surface. Stif/Stand       Stif/Stand     Tops are 1* (2.54 cm) thick medium-densityfiberboard wrapped in highly durable thermoplastic laminate that resists cracking and chipping and standup to a wide range of chemicals. Metal components are 12 guage st		Electric Sit-Stand Desk	Electric Sit-Stand Desk				
Product Includes   keyboard shift height adjustment, cable tray, control box and keypad for electric height adjustment, two electric lift legs and two feet with tilt-and-go back wheels.     Product Dimensions		MVJB48SS-MP (in Maple)     MVJB60SS-MP (in Maple)       MVJB48SS-WE (in Wenge)     MVJB60SS-WE (in Wenge)					
Product   Image: Imag		keyboard shelf height adjustment, cable tray, control box and keypad for electric height adjustment,					
Sit/Stand   windrace   height mange   47" (119 cm)   aufrace   height mange   height mang	Product Dimensions	41.5" (105.4 cm) (105.4 cm) (105.4 cm)	(152 cm)				
Interfacts and FinishesLaminate that resists cracking and chipping and stands up to a wide range of chemicals. Metal components are 12 gauge steel with baked-on powder coat finish.Cable lanagementA 6.5" h (16.5 cm) rear cable tray runs the width of the desk — deep enough to hold all your power bricks and cord bundles, plus an optional power strip.MobilityRaise the keyboard surface all the way up, lift the front of the table, and roll it into place on the tilt-and-go rear wheels.Max Lift Capacity150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.Weight Weight Weight150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.Desk Weight Weight150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.Shipping Weight150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.Desk Weight150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.Desk Weight150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.Desk Weight150 lbs. (69 kg)170 lbs. (77.11 kg)Shipping Dimensions33"W x 7"H x 51"D (83.8 x 17.8 x 129.5 cm)33"W x 7"H x 63"D (83.8 x 17.8 x 160 cm)CertificationETL-listed to UL Standard 692 for US and CanadaWarrantyLifetime against manufacturing defects on the desk surfaces.	Sit/Stand Height Range	height 47" (119 c	m) surface height range				
Management   all your power bricks and cord bundles, plus an optional power strip.     Mobility   Raise the keyboard surface all the way up, lift the front of the table, and roll it into place on the tilt-and-go rear wheels.     Max Lift Capacity   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Weight Capacity   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Desk Weight Weight   152 lbs. (69 kg)   170 lbs. (77.11 kg)     Shipping Weight Spring Weight   167 lbs. (75.75 kg)   185 lbs. (84 kg)     Shipping Lifetime against manufacturing defects on the desk surfaces.   33"W x 7"H x 63"D (83.8 x 17.8 x 160 cm)	Materials and Finishes	laminate that resists cracking and chippin	g and stands up to a wide range of chemicals.				
Mobility   and roll it into place on the tilt-and-go rear wheels.     Max Lift Capacity   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Weight Capacity   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Desk Weight   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Desk Weight   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Shipping Weight   152 lbs. (69 kg)   170 lbs. (77.11 kg)     Shipping Dimensions   33"W x 7"H x 51"D (83.8 x 17.8 x 129.5 cm)   33"W x 7"H x 63"D (83.8 x 17.8 x 160 cm)     Certification   ETL-listed to UL Standard 692 for US and Canada     Warranty   Lifetime against manufacturing defects on the desk surfaces.	Cable Management						
Capacity   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Weight   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Desk   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Desk   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Shipping   152 lbs. (69 kg)   170 lbs. (77.11 kg)     Shipping   167 lbs. (75.75 kg)   185 lbs. (84 kg)     Shipping   33"W x 7"H x 51"D (83.8 x 17.8 x 129.5 cm)   33"W x 7"H x 63"D (83.8 x 17.8 x 160 cm)     Certification   ETL-listed to UL Standard 692 for US and Canada     Warranty   Lifetime against manufacturing defects on the desk surfaces.	Mobility						
Capacity   150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.     Desk Weight   152 lbs. (69 kg)   170 lbs. (77.11 kg)     Shipping Weight   167 lbs. (75.75 kg)   185 lbs. (84 kg)     Shipping Dimensions   33"W x 7"H x 51"D (83.8 x 17.8 x 129.5 cm)   33"W x 7"H x 63"D (83.8 x 17.8 x 160 cm)     Certification   ETL-listed to UL Standard 692 for US and Canada     Warranty   Lifetime against manufacturing defects on the desk surfaces.		150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.					
Weight 152 lbs. (69 kg) 170 lbs. (77.11 kg)   Shipping Weight 167 lbs. (75.75 kg) 185 lbs. (84 kg)   Shipping Dimensions 33"W x 7"H x 51" D (83.8 x 17.8 x 129.5 cm) 33"W x 7"H x 63" D (83.8 x 17.8 x 160 cm)   Certification ETL-listed to UL Standard 692 for US and Canada   Warranty Lifetime against manufacturing defects on the desk surfaces.		150 lbs. (68 kg) total of distributed weight; keyboard surface supports 40 lbs. (18.14 kg) of distributed weight.					
Weight 107 IDS. (75.75 Kg) 185 IDS. (64 Kg)   Shipping Dimensions 33"W x 7"H x 51"D (83.8 x 17.8 x 129.5 cm) 33"W x 7"H x 63"D (83.8 x 17.8 x 160 cm)   Certification ETL-listed to UL Standard 692 for US and Canada   Warranty Lifetime against manufacturing defects on the desk surfaces.		152 lbs. (69 kg) 170 lbs. (77.11 kg)					
Dimensions 33"W x 7"H x 51"D (83.8 x 17.8 x 129.5 cm) 33"W x 7"H x 63"D (83.8 x 17.8 x 160 cm)   Certification ETL-listed to UL Standard 692 for US and Canada   Warranty Lifetime against manufacturing defects on the desk surfaces.		167 lbs. (75.75 kg) 185 lbs. (84 kg)					
Lifetime against manufacturing defects on the desk surfaces.	Shipping Dimensions	33"W x 7"H x 51"D (83.8 x 17.8 x 129.5 cm) 33"W x 7"H x 63"D (83.8 x 17.8 x 160 cm)					
	Certification	ETL-listed to UL Standard 692 for US and Canada					
	Warranty						



The 30-year legacy of Anthro Corporation lives on in its worldclass factory, flexible award-winning designs, and marketleading personal customer service. When you see Anthro-DNA, it signifies quality manufacturing and technology leadership.

# Elevate Adjusta accessories

**CPU SideRack** 

- Attaches to the outside edge of your desk with four screws. Installs left or right.
- Slide the arms open to insert your CPU, then tighten down to keep it in place. Measure the width of your CPU and add 3" (7.6 cm) to determine how far the SideRack will extend from the side of your desk.
- Supports CPUs 4.5" -9.75" (4.5 24.8 cm) wide. Holds up to 40 lbs (18.14kg).
- Comes in Grey Metallic.

Product	Width	Depth	Height	Weight	Part #
CPU SideRack	6.25" (15.9 cm)	11.5" (29.2 cm)	14.5" (36.8 cm)	12 lbs. (5.44 kg)	STSR2GM



#### Need to mount your monitor? Use Ergotron Quick Finder!

®

Visit finder.ergotron.com to find the perfect product for your computer monitor, TV, laptop or tablet.

#### Power solutions

Power Bar

COLORED C

Silver Metallic Weight Part #	
Part #	
PBA12SN	

Surge Protector

• This UL-listed surge suppressor is 12" (30.5 cm) long, has 6 outlets and is rated at 15 amps, 120 Volts. Comes with on/off switch, on/off indicator light,
15' (457 cm) power cord and circuit breaker reset button.

· Comes in Black and attaches under a shelf with integrated mounting hardware or slips into the cable tray.

Product	Cord Length	Depth	Weight	Part #
Surge Protector - Standard	15' (457 cm)	2.5" (6.4 cm)	2 lbs. (1 kg)	520BK

